

Estimated Water Usage Savings

Scenario: A contractor aims to clean 1,500 ft. of pipeline in one day

Traditional Combination Machine | **Recycler Combination Machine**

Unit Water Capacity:
1,300 Gallons

Water Usage per 500ft. of
Pipe:
2,600 Gallons (2 Tanks)

Avg. Freshwater Gallons
per 1,500 ft.: 7,800
Gallons

Unit Water Capacity:
1,000 Gallons

Water Usage per 500ft. of
Pipe: 2,600 Gallons

Avg. Freshwater Gallons
per 1,500 ft.: 7,800 Gallons

**(All recycled from pipeline - 0
gallons from freshwater)**

Savings Estimator:

*Based on the Recycler Combination Machine utilizing water that was in the pipeline to begin with. No water usage from the Recycler water tanks or other water connections (ie. Hydrants).

- Daily Water Savings: 7,800 Gallons
- Weekly Water Savings: 34,000 Gallons
- Monthly Water Savings: 136,000 Gallons
- Annual Water Savings: 1,632,000 Gallons

RECYCLER FUNCTIONAL FLEXIBILITY.



969 Hall Park Road | Green Cove Springs, FL 32043 | USA
PHONE (904) 284-4200 | FAX (904) 284-3305
www.vac-con.com | vns@vac-con.com

A subsidiary of Holden Industries, Inc., Vac-Con is a 100% employee-owned company.
©2019 Vac-Con, all rights reserved.





THE COMBINATION MACHINE YOU TRUST IS NOW AVAILABLE WITH A RECYCLING SYSTEM FOR ENDURANCE AND PERFORMANCE. THE VAC-CON RECYCLER BOASTS FEATURES TO PROVIDE OPERATORS WITH FUNCTIONAL FLEXIBILITY TO SAVE TIME, INCREASE EFFICIENCY, AND GET THE JOB DONE.

*SOME COMPONENTS SHOWN ARE NON-STANDARD.

AS SHOWN:

1. HPT Single Piston Water Pump fitted with 3 accumulators for smooth, continuous flow
2. Hydraulic Oil Reservoir
3. Cross-Linked Polyethylene Water Tanks –holds up to 1,000 gallons
4. Positive Displacement Blower
5. 180° Articulating Hose Reel
6. Omnibus® Precision Power Operating System
7. Dual Aluminum Roller Level Wind Guide
8. Charge Pump
9. Folding Pipe Rack
10. All-Aluminum Tool Boxes
11. 10 ft. Telescopic Boom
12. Flat-Style Rear Door with Wedge-Style Locks
13. Hydro-excavation High Pressure 50 ft. Retractable Hand Gun Hose Reel
14. 6 in. Butterfly Decant Valve
15. Splash Shield
16. Arrow Board
17. Strobe Light



- Available in Single and Dual Engine Configurations
- Simple, User-Friendly Operation
- Save Time and Money



FILTRATION:

- 2-Stage Water Filtration
- Stainless Steel 1st-Stage Filter for Removal of Large Particulate
- Self-Cleaning, Stainless Steel 2nd-Stage Filter
- High-Pressure Back-Flush Assembly (2,000 PSI)
- Wear-Resistant Wiper Cleaning